



A 70 HINGED TRIPLE GASKET - PVC

ENERGY EFFICIENCY

Thermal Transmission Coefficient

U_w from 0.9 (W/m²K)

Please consult typology, dimensions and glazing.

ACCOUSTIC INSULATION

Maximum glazing: 40 mm.

Maximum acoustic insulation: $R_w = 46$ dB.

CATEGORIES ACHIEVED AT TEST CENTRE

Protection against atmospheric agents

Air permeability (UNE-EN 12207:2000):

Class 4

Water tightness (UNE-EN 12208:2000):

Class E1500

Wind resistance (UNE-EN 12210:2000):

Class C5

Reference test window 1.23 x 1.48 m. 2 sashes.

SECTIONS	Frame 70 mm Sash 70 mm	
CLASIFICACION	Profile thickness Class A ≥ 2.8 mm Weather Severe weather Impact Class II	
MAXIMUM DIMENSIONS	Width (L) = 1,200 mm Height (H) = 1,450 mm Window	
	Width (L) = 1,000 mm Height (H) = 2,200 mm Balcony	
MAXIMUM WEIGHT/SASH	80 Kg Window	100 Kg Balcony
GASKETS	TPE double gasket	
OPENING POSIBILITIES		
INWARDS	Side hung, turn&tilt, tilt and parallel-tilt.	
FINISHES	Optionally bicoloured White Coloured wrapping Wood-imitation wrapping	

Please consult maximum dimensions according to types.

